



Safety Data Sheet

AUTOSOL Liquid Metal Polish

**Not Hazardous according to the Criteria of Worksafe Australia
14 October 2009**

1. Identification of the substance/preparation

Identification of the substance or preparation:

Name of product: **AUTOSOL LIQUID METAL POLISH**

Manufacturer/distributor identification

Manufacturer: Dursol-Fabrik
Martinstrasse 22
42655 Solingen
Germany
Phone: 0011-49-212 27180

Australian Distributor: C.M.S. International Pty Limited
1/1 Rowe Street
HARBORD NSW 2096
Phone: 02 9905 8400
Fax: 02 9905 8355

24 Hour Emergency Phone: 0419 277 742

2. Composition / information on ingredients

Chemical characterisation (substance):

Aqueous emulsion with:

Aliphatic hydrocarbons, polishing agents,
emulsifier, fragrances, preservatives and
care components.

3. Possible hazards

unknown (see point 11)

4. First aid measures

Eye contact: In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.



C.M.S. International Pty. Ltd.

Ingestion: Do not induce vomiting. Seek medical advice immediately and show this data/sheet or label.

Page 2/4

Safety Data Sheet

AUTOSOL Liquid Metal Polish

5. Fire-fighting measures

Suitable extinguishing material: No special materials are necessary.

Extinguishing material that must not be used for safety reasons: none

Special exposure hazards extinguishing from the substance or preparation itself, combustible products or resulting gases: unknown

Special protective equipment for firefighters: none

6. Accidental release measures

Personal precautions: Use personal protective clothing.

Methods for cleaning up/taking up: Take up with absorbent material.

7. Handling and storage

Advice on safe handling: Storage is according to German regulations as per -Wassergefährdungsklasse 1- (WGK 1), slightly dangerous for water.

Advice on protection against fire and explosion: No special measures necessary.

8. Exposure controls/personal protection

Ingredients with occupational exposure limits to be monitored:

De-aromaticated hydrocarbons	5-15%
CAS-Nr.:	64742-48-9
Limit for hydrocarbons at place of work:	200 ppm / 1000 mg/m ³

Personal protection equipment: Not necessary when used according to instruction. Gloves are recommended for intensive use over longer periods.

Hygiene measures: Keep away from food and drink.



C.M.S. International Pty. Ltd.

Page 4/4

Safety Data Sheet

AUTOSOL Liquid Metal Polish

15. Regulatory information

Labelling: not classified

Classification according to VbF/remarks: none

Water hazard class (self/assessment): WGK 2 (dangerous for water)

AUTOSOL Liquid Metal Polish is a composition

All ingredients are listed in TSCA.

16. Other information

PART NO/PACK SIZES: 1210 250ml bottle
 1215 5litre drum

AUSTRALIAN IMPORTERS: C.M.S. INTERNATIONAL PTY LTD
 1/1 ROWE STREET
 HARBORD NSW 2096

PH: 02 9905 8400

FAX: 02 9905 8355

THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE WHETHER ORIGINATING FROM THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF THE NEED THAT THE INFORMATION IS CURRENT, APPLICABLE AND SUITABLE TO THEIR CIRCUMSTANCES.