



# EG //ISO Sicherheitsdatenblatt Safety Data Sheet

Page: 1/4  
Issued: 21.08.2002

## 1. Identification of the substance /preparation

### Identification of the substance or preparation:

Name of product: AUTOSOL® Boat-Polish

### Manufacturer/distributor identification

#### Dursol-Fabrik

Martinstraße 22                      Postfach 190210  
D 42655 Solingen                      D 42702 Solingen  
Germany                                  Germany  
Tel: +49 (0)212 2718-0                  Fax: +49 (0)212 208795

Emergency phone: +49 (0)212 2718-0

**Not Hazardous according to the Criteria of Worksafe Australia  
14 October 2009**

## 2. Composition / information on ingredients

### Chemical characterisation (substance):

#### Aqueous emulsion with:

aliphatic hydrocarbons, inorganic abrasives, care components, preservative

#### Hazardous Ingredients:

aliphatic hydrocarbons	15 - 30%	Xn	R 65-66
CAS-No.: 64742-48-9			

## 3. Possible hazards:

unknown

## AUTOSOL® Boat-Polish

### 4. First aid measures

**Eye contact:** In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

**Ingestion:** Do not induce vomiting. Seek medical advice immediately and show this data sheet or label.

### 5. Fire-fighting measures

**Suitable extinguishing material:** no special materials are necessary

**Extinguishing material that must not be used for safety reasons:** none

**Special exposure hazards extinguishing from the substance or preparation itself, combustible products or resulting gases:** unknown

**Special protective equipment for fire-fighters:** none

### 6. Accidental release measures

**Personal precautions:** Refer to section 8 of SDS for personal protective details

**Methods for cleaning up / taking up:** Take up with absorbent material.

### 7. Handling and storage

**Advice on storage conditions:** Storage is according to german regulation like Water hazard class 1 (slightly endangerous for water).

**Advice on safe handling:** Use only in a well-ventilated areas.

**Advice on protection against fire and explosion:** Not necessary when used according to instruction.

# EG /ISO Sicherheitsdatenblatt Safety Data Sheet

Page: 3/4  
Issued: 21.08.2002

## AUTOSOL® Boat-Polish

### 8. Expose controls/ personal protection

#### Ingredients with occupational expose limits to be monitored:

		<b>TRGS 901</b>
aliphatic hydrocarbons	15 – 30%	200 ppm / 1000mg/m <sup>3</sup>
CAS-No.: 64742-48-9		

**Personal protection equipment:** Not necessary when used according to instruction.  
Hand protection is recommended for intensive use over longer periods.

**Hygiene measure:** Keep away from food and drink.

### 9. Physical and chemical properties

**Form:** Emulsion  
**Colour:** white  
**Odour:** fruity

**Changes in physical state:** melting point approx. 0°C  
boiling range from approx. 100°C

**Flash point:** none below 100°C DIN 51758  
**Density (20°C):** 1,03g/ml  
**Solubility in water:** mixable  
**pH-Value (10g/l water):** 8  
**Viscosity:** high viscous

### 10. Stability and reactivity

**Hazardous decomposition products:** unknown

### 11. Toxicological information:

High concentrated vapours may cause drowsiness and dizziness

# EG / ISO Sicherheitsdatenblatt Safety Data Sheet

Page: 4/4  
Issued: 21.08.2002

## AUTOSOL® Boat-Polish

**12. Ecological information:**  
**German national legislation:**  
**Water hazard class (self-assessment):** WGK 1 (slightly endangerous for water)

**13. Disposal considerations**  
**European legislation:**  
AVV-Code: 07 06 99 n.o.s.

### **14. Transport information**

**UN-No:** not classified  
**GGVSee / IMDG-Code:** not classified  
**GGVE / GGVS and RID / ADR:** not classified  
**ICAO / IATA-DRG:** not classified

### **15. Regulation information**

**Labelling:** not classified

**Classification according to VbF / remarks:** none  
**Water hazard class (self-assessment):** WGK 1 (slightly endangerous for water)

### **16. Other information:**

Wording of the under point 2 listed R-sentences:

R 65 Harmful: may cause lung damage if swallowed.  
R 66 Repeated exposure may cause skin dryness or cracking.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.