

MATERIAL SAFETY DATA SHEET

SECTION I

SUPPLIERS NAME: MBa (MARKETING BUSINESS ADVANTAGE)

EMERGENCY PHONE: NA

ADDRESS: P.O. BOX 6909, MORAGA, CA 94570

PHONE: (925) 933-3637

FAX: (925) 933-3661

PRODUCT NAME: **FOREVER BLACK BUMPER & TRIM RECONDITIONER**

CHEMICAL FAMILY: ACRYLIC COPOLYMER

DATE: May 1, 2004

FORMULA: PROPRIETARY

AUSTRALIAN DISTRIBUTOR: CMS INTERNATIONAL PTY LTD

STREET ADDRESS: 1/1 ROWE STREET, HARBORD NSW 2096

POSTAL ADDRESS: P.O. BOX 39, BROOKVALE NSW 2100

EMAIL ADDRESS: CUSTOMERSERVICE@AUTOSOL.COM.AU

TELEPHONE: (24 HOUR) +61 2 9905 8400

Non-Hazardous According to Criteria of Worksafe Australia

SECTION II - HAZARDOUS INGREDIENTS AND/OR THOSE SUBJECT TO REPORTING REQUIREMENTS OF TITLE III SEC 313 OR 40 CFR 372 (*)

CAS#	MATERIAL OR COMPONENT	EXPOSURE LIMIT VALUES	
		TWA	WT
%			
7664-41-7	*AQUA AMMONIA	25 ppm	<3
111-77-3	*DEG METHYL ETHER	1 ppm	<6
84-74-2	*DIBUTYL PHTHALATE	5 mg/m ³	<3
34590-94-8	DIPROPYLENE GLYCOL METHYL ETHER	100 ppm	<5
1333-86-4	CARBON BLACK**	3.5 mg/m ³	<5

** A SUSPECTED CARCINOGEN IN DRY FORM, NOT APPLICABLE TO THIS PRODUCT. NO COMPONENTS ARE LISTED IN "THRESHOLD LIMIT VALUES AND BIOLOGICAL EXPOSURE INDICES FOR 1993-1994" FROM AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS (ACGIH) EXCEPT AS LISTED ABOVE.

SECTION III - PHYSICAL DATA

INITIAL BOILING POINT: 212°F

FLASH POINT: NONE

DENSITY: >1.0 VAPOR PRESSURE: LIKE WATER

VAPOR DENSITY (air=1) : >1

SOLUBILITY IN WATER (% by wt) : 100%

VOC = 150 GMS/LITER

SELF EMULSIFYING: NA

% VOLATILES BY WT: 80-85%

EVAPORATION RATE (BUTYL ACETATE=1)

NA

APPEARANCE AND ODOR: BLACK OPAQUE LIQUID, SLIGHT AMMONIA ODOR

SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT (CLOSED CUP): NONE

EXPLOSIVE LIMITS: NONE

EXTINGUISHING MEDIA: USE FIRE FIGHTING MEDIA PROPER TO PRIMARY SOURCE OF FIRE.

SECTION V - HEALTH HAZARD DATA

HMIS RATINGS: ACUTE HEALTH 1

FIRE 0

REACTIVITY 0

OTHER NA

HAZARD RATINGS: LEAST: 0, SLIGHT: 1, MODERATE: 2, HIGH: 3, EXTREME: 4

THRESHOLD LIMIT VALUE: Not established on product.

EFFECTS OF OVEREXPOSURE:

SKIN: Can cause irritation, redness, from defatting skin.

EYES: Can cause severe irritation, redness, tearing, blurred vision.

INHALATION: Not a likely source of exposure

INGESTION: Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

EMERGENCY AND FIRST AID PROCEDURE:

SKIN: Flush with water until gone.

EYES: Flush with water for at least 15 min.

INHALATION: Remove affected individual to fresh air.

INGESTION: Do not induce vomiting. Give victim large amounts of water. If vomiting does occur, give water again. Get medical attention immediately. Never give anything by mouth to an unconscious or convulsing person.

SECTION VI - REACTIVITY DATA

CONDITIONS CONTRIBUTING TO INSTABILITY: none known

INCOMPATIBILITY: acids, bases and salts may coagulate the product.

HAZARDOUS DECOMPOSITION PRODUCTS: not applicable

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

For small spills, mop or wipe up and dispose of in waste container.

Large spills must be contained and absorbed with clay or other

Flush with water.

WASTE DISPOSAL METHOD: Contain and absorb spilled liquid with sand or absorbent material.

Remove spent absorbent to land fill, in conformance to local disposal codes.

Organic materials are biodegradable.

SECTION VIII - PERSONAL PROTECTION, HANDLING AND STORAGE

VENTILATION: general good practice is sufficient. Avoid misting.

PERSONAL PROTECTIVE EQUIPMENT: Protective gloves if appropriate.

USAGE CONDITIONS: use general industrial good, safe practices.

HANDLING & STORAGE: Store in cool, well ventilated place away from heat.

Container should be kept closed and plainly labeled.

After handling, wash off with water.

SECTION IX - SHIPPING INFORMATION

DESCRIPTION: CHEMICALS, MIXTURE NOS

DOT HAZARDOUS CLASSIFICATION: NOT REGULATED

PREPARED BY: R.N. Miller

Date: June 2, 1994

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge, but is not guaranteed to be so. Since conditions of use are beyond our control, we make no warranties, expressed or implied, except those that are stated in corresponding technical literature.

MATERIAL SAFETY DATA SHEET
SECTION I

SUPPLIERS NAME: MBa (MARKETING BUSINESS ADVANTAGE)

EMERGENCY PHONE: NA

ADDRESS: P.O. BOX 6909, MORAGA, CA 94570

PHONE: (925) 933-3637

FAX: (925) 933-3661

PRODUCT NAME: **FOREVER BLACK CLEANER CONCENTRATE**

CHEMICAL FAMILY: WATER BASED CLEANER

DATE: May 1, 2004

FORMULA: PROPRIETARY

AUSTRALIAN DISTRIBUTOR: CMS INTERNATIONAL PTY LTD

STREET ADDRESS: 1/1 ROWE STREET, HARBORD NSW 2096

POSTAL ADDRESS: P.O. BOX 39, BROOKVALE NSW 2100

EMAIL ADDRESS: CUSTOMERSERVICE@AUTOSOL.COM.AU

TELEPHONE: (24 HOUR) +61 2 9905 8400

Non-Hazardous According to Criteria of Worksafe Australia

SECTION II - HAZARDOUS INGREDIENTS AND/OR THOSE SUBJECT TO REPORTING
REQUIREMENTS OF TITLE III SEC 313 OR 40 CFR 372 (*)

CAS#	MATERIAL OR COMPONENT	EXPOSURE LIMIT VALUES		
		TLV*	TWA	OTHER/REMARKS
107-41-5	HEXYLENE GLYCOL		C 25 ppm	

NO COMPONENTS ARE LISTED IN "THRESHOLD LIMIT VALUES AND BIOLOGICAL EXPOSURE INDICES FOR 1993-1994" FROM AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS (ACGIH) EXCEPT AS LISTED ABOVE.

SECTION III - PHYSICAL DATA

INITIAL BOILING POINT: 212°F

FLASH POINT: NONE

DENSITY: >1.0 VAPOR PRESSURE: LIKE WATER

VAPOR DENSITY (air=1) : >1

SOLUBILITY IN WATER (% by wt) : 100%

SELF EMULSIFYING: NA

% VOLATILES BY WT: NA

EVAPORATION RATE (BUTYL ACETATE=1)

NA

APPEARANCE AND ODOR: CLEAR LIGHT BLUE LIQUID WITH A SLIGHT MINTY ODOR

SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT (CLOSED CUP): NONE

EXPLOSIVE LIMITS: NONE

EXTINGUISHING MEDIA: USE FIRE FIGHTING MEDIA PROPER TO PRIMARY SOURCE OF FIRE.

SECTION V - HEALTH HAZARD DATA

HMIS RATINGS: ACUTE HEALTH 1

FIRE 0

REACTIVITY 0

OTHER NA

HAZARD RATINGS: LEAST: 0, SLIGHT: 1, MODERATE: 2, HIGH: 3, EXTREME: 4

THRESHOLD LIMIT VALUE: Not established on product.

EFFECTS OF OVEREXPOSURE:

SKIN: Can cause irritation, redness, from defatting skin.

EYES: Can cause severe irritation, redness, tearing, blurred vision.

INHALATION: Not a likely source of exposure

INGESTION: Can cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

EMERGENCY AND FIRST AID PROCEDURE:

SKIN: Flush with water until gone.

EYES: Flush with water for at least 15 min.

INHALATION: Remove affected individual to fresh air.

INGESTION: Do not induce vomiting. Give victim large amounts of water. If vomiting does occur, give water again. Get medical attention immediately. Never give anything by mouth to an unconscious or convulsing person.

SECTION VI - REACTIVITY DATA

CONDITIONS CONTRIBUTING TO INSTABILITY: none known

INCOMPATIBILITY: strong acids will decrease cleaning ability.

HAZARDOUS DECOMPOSITION PRODUCTS: not applicable

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

For small spills, mop or wipe up and dispose of in waste container.

Large spills must be contained and absorbed with clay or other

Flush with water.

WASTE DISPOSAL METHOD: Contain and absorb spilled liquid with sand or absorbent material.

Remove spent absorbent to land fill, in conformance to local disposal codes.

Organic materials are biodegradable.

SECTION VIII - PERSONAL PROTECTION, HANDLING AND STORAGE

VENTILATION: general good practice is sufficient.

PERSONAL PROTECTIVE EQUIPMENT: Protective gloves, safety glasses.

USAGE CONDITIONS: use general industrial good, safe practices.

HANDLING & STORAGE: Store in cool, well ventilated place away from heat.

Container should be kept closed and plainly labeled.

After handling, wash off with water.

SECTION IX - SHIPPING INFORMATION

DESCRIPTION: COMPOUND, CLEANING LIQUID

DOT HAZARDOUS CLASSIFICATION: NOT REGULATED

PREPARED BY: R.N. Miller

Date: June 2, 1994

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge, but is not guaranteed to be so. Since conditions of use are beyond our control, we make no warranties, expressed or implied, except those that are stated in corresponding technical literature.